SEQUENCE LISTING

<110>	> CENTRE NATIONAL DE LA RECHERCHE SCIENTIF	FIQUE - CNRS		
<120>	Method of calibration of reverse transcr messenger RNA (smRNA)	ription using a synthetic		
<130>	> D21194			
	> EP 03/290 958 > 2003-04-17	·		
<160>	> 18			
<170>	> PatentIn version 3.2			
<210> <211> <212> <213>	> 161			
<220> <223>	> > Synthetic poly A mRNA #1	,		
uggcgg	> 1 gaauug ggcccgacgu cgggacaaga agguggaaga cg ggccgc gggaauucga uuucuucgac ucacugcaga cu aauacu cgacuggucu caacaugaaa aaaaaaaaaa a	gucaugcuc ccggccgcca 60 nacugaugg aaugacguag 120 161		
<210><211><211><212><213>	> 161	· .		
<220> <223>	> > Synthetic poly A mRNA #2			
uggcgg	> 2 acgacu cacuauaggg cgggacaaga agguggaaga cg ggccgc gggaauucga uuucuucgac ucacugcaga cu aauacu cgacuggucu caacaugaaa aaaaaaaaaa a	gucaugcuc ccggccgcca 60 nacugaugg aaugacguag 120 161		
<210><211><212><212><213>	> 161			
<220> <223> Synthetic cDNA #1				
tggcgg	s 3 gaattg ggcccgacgt cgggacaaga aggtggaaga cg ggccgc gggaattcga tttcttcgac tcactgcaga ct aatact cgactggtct caacatgaaa aaaaaaaaaa a	gtcatgctc ccggccgcca 60 cactgatgg aatgacgtag 120 161		

<210> 4 <211> 161

<212> DNA <213> Artificial	
<220> <223> Synthetic cDNA #2	
<400> 4 taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccgtggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aattacgaatact cgactggtct caacatgaaa aaaaaaaaa a	ggccgcca 60 gacgtag 120 161
<210> 5 <211> 19 <212> DNA <213> Artificial	
<220> <223> Primer III forward	
<400> 5 cgggacaaga aggtggaag	19
<210> 6 <211> 22 <212> DNA <213> Artificial	
<220> <223> Primer III reverse	
<400> 6 agtctgcagt gagtcgaaga aa	22
<210> 7 <211> 182 <212> DNA <213> Artificial	·
<220> <223> Sequence of the DNA probe "DNAΣ"	
<400> 7 taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccg tggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aat tacgaatact cgactggtct caacatgaaa aaaaaaaaa acgcattcaa cct ta	gacgtag 120
<210> 8 <211> 20 <212> DNA <213> Artificial	
<220> <223> Sequence of the T7 promoter	
<400> 8 taatacgact cactataggg	20

<210>		
<211>		
<212>		
<213>	Artificial	
-000		
<220>	27 pb insert	
<223>	27 pb insert	
<400>	9	
	caaga aggtggaaga cgtcatg	27
-555-		
<210>	10	
<211>		
<212>	DNA	
<213>	Artificial	
<220>	•	
<223>	34 bp from pGEM®-T Easy sequence	
<400>		2.4
ctcccg	ggccg ccatggcggc cgcgggaatt cgat	34
_	,	
<210>		
<211>		
<212>		
<213>	Artificial	
<220>	and the demands	
<223>	101 bp insert	
<400>	11	
++ a++	cgact cactgcagac tactgatgga atgacgtagt acgaatactc gactggtctc	60
220250	gaaaa aaaaaaaaaa cgcattcaac ctgtctgact a	101
aacac	gaaaa aaaaaaaaa ogooooooooo o	
<210>	12	
<211>		
<212>		
	Artificial	
<220>	·	
<223>	Forward primer A containing the T7 promoter	
	•	
<400>		20
taata	cgact cactataggg cgggacaaga aggtggaag	39
<210>		
<211>		
<212>		
<213>	Artificial	
.000		
<220>		
<223>	Reverse primer A	
<400>	12	
<+:00>	1.J	21

```
<210> 14
<211> 82
<212> DNA
<213> Artificial
<220>
<223> Amplified fragment from both synthetic cDNA #1 and cDNA #2 with
      primer pair III
<400> 14
cgggacaaga aggtggaaga cgtcatgctc ccggccgcca tggcggccgc gggaattcga
                                                                         60
tttcttcgac tcactgcaga ct
                                                                         82
<210> 15
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair I: primer forward
<400> 15
                                                                        20
aattgggccc gacgtcgcat
<210> 16
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair I: primer reverse
<400> 16
                                                                        20
catgttgaga ccagtcgagt
<210> 17
<211> 19
<212> DNA
<213> Artificial
<220>
<223> Pair II: primer forward
<400> 17
                                                                        19
cgggacaaga aggtggaag
<210> 18
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair II: primer reverse
<400> 18
```

tcatgttgag accagtcgag

20